

						(Coming Soon)	
	<b>Photosimile 5000</b>	<b>Photosimile 200</b>	<b>Photosimile 100</b>	<b>Photosimile 50</b>	<b>PhotoCapture 360</b>	<b>PhotoCapture 360 L</b>	<b>PhotoCapture 360 XL</b>
<b>Accessories</b>							
Tripod		.	.				
Extra Lightbulbs		4	2	0	N/A	N/A	N/A
Reflective Door Cover		.		.	N/A	N/A	N/A
Side Shot Background	.	.	.	.	N/A	N/A	N/A
Extra Backgrounds		.		.			
USB Cords	1	2	2	1	2	1 - 10 foot, 1 regular	1 - 10 foot, 1 regular
Product Stand	.	.	.	.	N/A	N/A	N/A
Software	.	.	.	.	.	.	.
<b>Hardware</b>							
Compatible Camera Included	.						
Uniform Controlled Lighting	.	.	.	.			
Construction Material	Brushed Aluminum	Brushed Aluminum	Brushed Aluminum	Plastic	Aluminum	Aluminum	Aluminum
Dimensions (inches)	45 x 28 x 34.5	24 x 24 x 28	17.5 x 17.5 x 20	24 x 24 x 28	11.4 x 11.4 x 3.2	22 x 22 x 11	32.7 x 32.7 x 11
Platform Diameter	N/A	N/A	N/A	N/A	11.4" and 15.4"	TBD	31.5" - Larger platform sold seperately
Automated Camera Positioning System	.						
Weight	135 lbs.	69 lbs.	22 lbs.	35 lbs.	9 lbs.	40 lbs.	195 lbs.
Max. Turntable Load	25 lbs.				25 lbs.	250 lbs.	500 lbs.
Camera Housing Unit	.	.	.		N/A	N/A	N/A
USB Plug in camera housing area	.	.	.		N/A	N/A	N/A

AC Plug in camera housing area	.	.	.	.	N/A	N/A	N/A
USB & Power plugs inside lightbox (for PC360)	N/A	.	.	.	N/A	N/A	N/A
Built in Turntable	.	.	.	.	N/A	N/A	N/A
Lamp Color Temperature	6500 K	6500 K	6500 K	6500 K	N/A	N/A	N/A
Bulb Life	15,000 hrs	15,000 hrs	12,000 hrs	15,000 hrs	N/A	N/A	N/A
<b>Shooting Dimensions</b>							
Top Shots (inches)	25 x 18 x 14	16 x 23	10.75 x 14.5	17 x 23	No limit	No limit	No limit
Side Shots (inches)	22 x 22 x 22	20 x 20 x 20	16 x 16 x 13	20 x 20 x 23	No limit	No limit	No limit
<b>Software Features</b>							
<b>Image Capture / Remote Camera Control</b>							
Compatible w/ PhotoCapture 360	N/A	.	.	.	N/A	N/A	N/A
Real-Time Preview	.	.	.	.	.	.	.
Zoom In/Out Functions	.	.	.	.	.	.	.
Rotate	.	.	.	.	.	.	.
Pre-Crop	.	.	.	.	.	.	.
Remote Snap	.	.	.	.	.	.	.
Automated Camera Positioning	.	.	.	.	.	.	.
Turntable Rotation	.	.	.	.	.	.	.
Tilt Adjustment	.	.	.	.	.	.	.
Automatic Mode (Camera settings optimized to lighting enviro.)	.	.	.	.	.	.	.
Manual Mode (control over aperture, shutter, color balance, etc.)	.	.	.	.	.	.	.

Close Up Mode	Yes (except with G2 and S series cameras)	Yes (except with G2 and S series cameras)	Yes (except with G2 and S series cameras)	Yes (except with G2 and S series cameras)	Yes (except with G2 and S series cameras)	Yes (except with G2 and S series cameras)	Yes (except with G2 and S series cameras)
<b>Image Processing Tools</b>							
Image Annotation	.	.	.	.	.	.	.
Save As (Save for print)	.	.	.	.	.	.	.
Save for Web	.	.	.	.	.	.	.
Batch Image Resizing	.	.	.	.	.	.	.
Batch Image Renaming	.	.	.	.	.	.	.
Batch Image Editing	.	.	.	.	.	.	.
Background Removal	.	.	.	.	.	.	.
Batch Image Watermarking	.	.	.	.	.	.	.
Send Image Via email	.	.	.	.	.	.	.
Program Link (export images to 3rd party image editing programs)	.	.	.	.	.	.	.
FTP Transfer Capabilities	.	.	.	.	.	.	.